










ContentBox

Modular Content Platform







Who am I?

0

- Luis Majano Computer Engineer
- Born in El Salvador ----->
- President of Ortus Solutions
- Manager of the IECFUG (<u>www.iecfug.com</u>)
- Creator of ColdBox, MockBox, LogBox, CacheBox, WireBox, ContentBox, or anything Box!










Professional Open Source


0

- ColdBox Platform, Relax, ContentBox, CodexWiki, etc.
- Professional Training & Books
- Support & Mentoring Plans
- Architecture & Design Sessions
- Server Tuning & Setup
- Code Reviews & Sanity Checks
- Consulting
- We can teach salsa dancing too!

www.ortussolutions.com consulting@ortussolutions.com













Traditional
CMS/Blog/App
Custom Architecture



extension points

Traditional
CMS/Blog/App
Custom Architecture



extension points

custom security, etc

Traditional
CMS/Blog/App
Custom Architecture



extension points

custom security, etc

Traditional
CMS/Blog/App
Custom Architecture

custom parts



extension points

custom security, etc

Traditional
CMS/Blog/App
Custom Architecture

custom parts

App



extension points

custom security, etc

Traditional
CMS/Blog/App
Custom Architecture

App

Proxy

custom parts







ANYColdBox Application



ANYColdBox Application





ANY
ColdBox Application



Custom Plugins



ANYColdBox Application

Custom Security

Custom Plugins

Model



ANYColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model



ANY
ColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model



ANY
ColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model

ContentBox ContentBox Admin UI ContentBox Core



ANY
ColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model

ContentBox ContentBox Admin UI ContentBox Core Forum ColdBox Modules




ANY
ColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model






ANY
ColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model






ANYColdBox Application

Global Layouts

Custom Security

Custom Plugins

Model





- Modular Architecture: Set of ColdBox Modules
- No longer restricted by an application
- Enterprise Security
- Extend via ColdBox: interceptions, modules, SES, custom DI, security, etc
- Extend via event driven programming: > 50 different event interception points
- Extend via ColdBox Modules, ColdBox Plugins, ColdBox Layouts
- Full skinning support
- Commenting engine
- Widgets, Content Partials, CMS, etc.
- Private beta



Features

- Modular Architecture: Set of ColdBox Modules
- No longer restricted by an application
- Enterprise Security
- Extend via **ColdBox**: interceptions, modules, SES, custom DI, security, etc
- Extend via event driven programming: > 50 different event interception points
- Extend via ColdBox Modules, ColdBox Plugins, ColdBox Layouts
- Full skinning support
- Commenting engine
- Widgets, Content Partials, CMS, etc.
- Private beta



- Adobe ColdFusion 9.01 or Railo Latest
- ColdBox Platform 3.5.0
- Any database Hibernate supports
- SES enabled via index.cfm/* or Full URL Rewrites (mod_rewrite, IIS, etc)



Requirements

- Adobe ColdFusion 9.01 or Railo Latest
- ColdBox Platform 3.5.0
- Any database Hibernate supports
- SES enabled via index.cfm/* or Full URL Rewrites (mod_rewrite, IIS, etc)





- 1. **Download Source:** https://github.com/Ortus-Solutions/ContentBox and install as a new site or a <u>sub-folder in a site</u>
- 2. Create a database in your favorite database engine
- 3. Create a datasource called "contentbox" in your CF admin that points to that database
- 4. Hit your ContentBox install: http://localhost/index.cfm
- 5. Then...



Installation

- 1. **Download Source:** https://github.com/Ortus-Solutions/ContentBox and install as a new site or a <u>sub-folder in a site</u>
- 2. Create a database in your favorite database engine
- 3. Create a datasource called "contentbox" in your CF admin that points to that database
- 4. Hit your ContentBox install: http://localhost/index.cfm
- 5. Then...






www.gocontentbox.com | twitter.com/gocontentbox | www.ortussolutions.com

ContentBox Installer





Copyright (C) 2012 Ortus Solutions, Corp. All Rights Reserved.

Need Professional ColdFusion/ColdBox Support, Architecture, Design, or Development?




Awesome Installer

www.gocontentbox.com | twitter.com/gocontentbox | www.ortussolutions.com

ContentBox Installer





We have detected that your ContentBox is not setup yet, so let's get you up and running in no time. You have already done the first step, which is created the datasource in which ContentBox will run under. What you might not know, is that we already created the entire database structure for you, we now just need a little information from you to get ContentBox ready for prime time.

So what are you waiting for? Let's get started!

Start Installer

Copyright (C) 2012 Ortus Solutions, Corp . All Rights Reserved.

Need Professional ColdFusion/ColdBox Support, Architecture, Design, or Development?



- Based on ColdBox plugins
- Simple interface: renderit()
- Self-documenting
- Use in editors, layouts and as ColdBox Plugins



Extend: Widgets

- Based on ColdBox plugins
- Simple interface: renderit()
- Self-documenting
- Use in editors, layouts and as ColdBox Plugins

```
any function renderIt(required slug, defaultValue){
   var entry = entryService.findWhere({slug=arguments.slug});

   if( !isNull(entry) ){
       return entry.getContent();
   }

   // default value
   if( structKeyExists(arguments, "defaultValue") ){
       return arguments.defaultValue;
   }

   throw(message="The content slug '#arguments.slug#' does not exist",type="CustomHTMLWidget.InvalidEntrySlug");
}
```



- Based on ColdBox interceptors
- Event driven programming
- Over 50 different events



Extend: Events

- Based on ColdBox interceptors
- Event driven programming
- Over 50 different events

```
function cbadmin_postAuthorSave(event,interceptData){
    var author
                     = arguments.interceptData.author;
    var currentAuthor = securityService.getAuthorSession();
    // get mail payload
    var bodyTokens = {
        authorName = author.getName(),
        authorRole = author.getRole().getRole(),
        authorEmail = author.getEmail(),
        authorURL
                     = CBHelper.linkAdmin("authors.editor.authorID.#author.getAuthorID()#"),
        currentAuthor
                              = currentAuthor.getName(),
                              = currentAuthor.getEmail()
        currentAuthorEmail
    };
    var mail = mailservice.newMail(to=settings.cb_site_email,
                                   from=settings.cb_site_outgoingEmail,
                                   subject="#settings.cb_site_name# - Author Created - #bodyTokens.authorName#",
                                   bodyTokens=bodyTokens);
    // generate content for email from template
    mail.setBody( renderer.renderView(view="email_templates/author_new", module="contentbox") );
    // send it out
    mailService.send( mail );
```



Page, Blog and Custom HTML Editors accept widgets via {{{ }}} notations

- All editors announce events
- All save, edit, remove operations announce events



Extend: Editors

■ Page, Blog and Custom HTML Editors accept widgets via {{{ }}} notations

```
{{{WidgetName arg1=value arg2=value}}}
```

- All editors announce events
- All save, edit, remove operations announce events



- Based on ColdBox Layouts, Collection Rendering, Helpers
- Programmatically build themes
- Located in contentbox-ui/layouts
- Folder Structure:
 - ThemeName
 - layouts : A collection of page and blog layouts
 - templates : A collection of collection renderers
 - views : A collection of views
 - ThemeName.cfc



- Based on ColdBox Layouts, Collection Rendering, Helpers
- Programmatically build themes
- Located in contentbox-ui/layouts
- Folder Structure:
 - ThemeName
 - layouts : A collection of page and blog layouts
 - templates : A collection of collection renderers
 - views : A collection of views
 - ThemeName.cfc



Layout CFC is a simple CFC with public properties:

A layout theme can expose its own custom events also



Layout CFC is a simple CFC with public properties:

A layout theme can expose its own custom events also



Layout CFC is a simple CFC with public properties:

A layout theme can expose its own custom events also



- All layouts, templates, and views have a cb variable
- cb = ContentBox Helper Class = contentbox.plugins.CBHelper
- Tons of methods for rendering, linking, etc.
- Used to build your layouts themes



- All layouts, templates, and views have a cb variable
- cb = ContentBox Helper Class = contentbox.plugins.CBHelper
- Tons of methods for rendering, linking, etc.
- Used to build your layouts themes



Layouts

- Two mandatory by convention: blog, pages
- Create as many page layouts as you like
- Just like ColdBox layouts, must have a #renderView()#

Views

- Set by the incoming module events
- Mandatory views:
 - index.cfm : Render the home page of blog entries
 - entry.cfm : Render a blog entry
 - **error.cfm**: Render an exception
 - notfound.cfm : Render when an entry or page is not found
 - **archives.cfm**: Render blog archives
 - page.cfm : Render a page



Layouts

- Two mandatory by convention: blog, pages
- Create as many page layouts as you like
- Just like ColdBox layouts, must have a #renderView()#

Views

- Set by the incoming module events
- Mandatory views:
 - index.cfm : Render the home page of blog entries
 - entry.cfm : Render a blog entry
 - error.cfm : Render an exception
 - notfound.cfm : Render when an entry or page is not found
 - **archives.cfm**: Render blog archives
 - page.cfm : Render a page



Collection Renderers

- Triggered by the cb helper quick methods used in your views or layouts
 - quickCategories() -> category.cfm
 - quickComments() -> comment.cfm
 - quickEntries() -> entry.cfm
- A great way to design uniform rendering for a collection of items



Collection Renderers

- Triggered by the cb helper quick methods used in your views or layouts
 - quickCategories() -> category.cfm
 - quickComments() -> comment.cfm
 - quickEntries() -> entry.cfm
- A great way to design uniform rendering for a collection of items



- Each view receives elements in the RC and PRC collections
- You can use those variables or talk to the CBHelper for them
 - Page
 - prc.page : The page entity
 - prc.comments: The page comments array
 - prc.commentsCount : The comments count
 - Missing Page
 - prc.missingPage : The missing page requested
 - prc.missingRoutedURL : The SES URL used



- Each view receives elements in the RC and PRC collections
- You can use those variables or talk to the CBHelper for them
 - Page
 - prc.page : The page entity
 - prc.comments: The page comments array
 - prc.commentsCount : The comments count
 - Missing Page
 - prc.missingPage : The missing page requested
 - prc.missingRoutedURL : The SES URL used



Error

- prc.faultAction: The action that caused the exception
- prc.exception : The actual exception
- Blog Index
 - prc.pagingPlugin
 - prc.pagingBoudaries
 - prc.pagingLink
 - prc.entries
 - prc.entriesCount
- Blog Entry
 - prc.entry
 - prc.comments
 - prc.commentsCount



Error

- prc.faultAction: The action that caused the exception
- prc.exception : The actual exception
- Blog Index
 - prc.pagingPlugin
 - prc.pagingBoudaries
 - prc.pagingLink
 - prc.entries
 - prc.entriesCount
- Blog Entry
 - prc.entry
 - prc.comments
 - prc.commentsCount



- Blog Archives
 - prc.pagingPlugin
 - prc.pagingBoudaries
 - prc.pagingLink
 - prc.entries
 - prc.entriesCount
- Missing Blog Entry
 - prc.missingPage



- Blog Archives
 - prc.pagingPlugin
 - prc.pagingBoudaries
 - prc.pagingLink
 - prc.entries
 - prc.entriesCount
- Missing Blog Entry
 - prc.missingPage



- adminRoot()
- breadCrumbs()
- customHTML()
- event()
- getCommentErrors()
- getCurrentCategories()
- getCurrentComments()
- getCurrentCommentsCount()
- getCurrentEntries()
- getCurrentEntriesCount()
- getCurrentEntry()
- getCurrentPage()
- getMissingPage()
- getWidget()

- isCommentFormError()
- isCommentsEnabled()
- isEntryView()
- isIndexView()
- isPageView()
- IayoutName()
- layoutRoot()
- IinkAdmin()
- linkAdminLogin()
- IinkAdminLogout()
- linkArchive()
- linkBlog()
- linkCategory()
- IinkComment()



CBHelper

ContentBox

- adminRoot()
- breadCrumbs()
- customHTML()
- * event()
- getCommentErrors()
- getCurrentCategories()
- getCurrentComments()
- getCurrentCommentsCount()
- getCurrentEntries()
- getCurrentEntriesCount()
- getCurrentEntry()
- getCurrentPage()
- getMissingPage()
- getWidget()

- isCommentFormError()
- isCommentsEnabled()
- isEntryView()
- isIndexView()
- isPageView()
- IayoutName()
- layoutRoot()
- IinkAdmin()
- linkAdminLogin()
- IinkAdminLogout()
- linkArchive()
- linkBlog()
- linkCategory()
- linkComment()



- linkCommentPost()
- linkComments()
- IinkContent()
- linkEntry()
- linkEntryWithSlug()
- IinkHome()
- linkPage()
- linkPageWithSlug()
- linkRSS()
- linkSearch()
- linkSelf()
- linkToParentPage()
- siteRoot()
- siteTagLine()

- quickAvatar()
- quickCategories()
- quickCategoryLinks()
- quickCommentForm()
- quickComments()
- quickEntries()
- quickPaging()
- quickView()
- rootMenu()
- setting()
- siteDescription()
- siteEmail()
- siteKeywords()
- siteName()



CBHelper

ContentBox

- linkCommentPost()
- linkComments()
- IinkContent()
- linkEntry()
- linkEntryWithSlug()
- IinkHome()
- linkPage()
- IinkPageWithSlug()
- IinkRSS()
- linkSearch()
- linkSelf()
- linkToParentPage()
- siteRoot()
- siteTagLine()

- quickAvatar()
- quickCategories()
- quickCategoryLinks()
- quickCommentForm()
- quickComments()
- quickEntries()
- quickPaging()
- quickView()
- rootMenu()
- setting()
- siteDescription()
- siteEmail()
- siteKeywords()
- siteName()



- subPageMenu()
- widget()
- widgetRoot()



CBHelper

- subPageMenu()
- widget()
- widgetRoot()









Workshop





Q & A



Thanks!